

WALL & CEILING LINING CARPET

Special automotive carpet perfect for walls and ceilings. Widely used in the fitting out of Motorhomes, Campervans, Coaches, Minibuses, Horseboxes and Boats. Easily applied with hi-temp spray glue or brush able contact adhesive.

STANDARD LINING CARPET

Available 2mtrs wide and around 4mm thick sold per linear metre or per 30m roll. The following colours are in stock. Other colours are available from time to time.

- ILC9965** Standard lining carpet Beige
- ILC2275** Standard lining carpet Arctic Blue
- ILC1527** Standard lining carpet Light Grey

NEW HI-FLEX VELOUR LINING CARPET

Hi-flex velour highly flexible lining carpet. Designed to be extra flexible to fit around intricate shapes and be worked into the curves of the body structure without cutting in most situations.

Roll width 2.04m, approx 4mm thick. Sold per linear metre or per 30mtr roll. Other colours are available from time to time.

- ILCHFANT** Hi-Flex velour anthracite
- ILCHFSLV** Hi-Flex velour Silver
- ILCHFWE** Hi-Flex velour Wheat

NEW METALLIC CARBON BRUSHED EFFECT LINING VINYL

Carbon or brushed Metallic Effect Vinyl leatherette. Sold per linear metre or per roll. 137cm Wide 25Mtr roll. Other colours available.

- ILFMVCSIL** Carbon Silver
- ILFMVCGRY** Carbon Grey
- ILFMVBRSL** Brushed Silver

NEW SYNTHETIC LEATHER


Synthetic leather with p/e-knitted backing

Sold per linear metre or per roll. Other colours available. 140CM WIDE 40MTR ROLL

- ILFGLD610** Light grey Synthetic Leather



610 – Light grey



Carbon Grey



Brushed Silver


NEW FLEXIBLE VELVET

Flexible/formable velvet fabric. Sold per linear metre or per roll. 140CM WIDE 30MTR ROLL Other colours available.


- ILFSIB722** Light grey Flexible Velvet



722 – Light grey



Eco Plus Rain Cloud



Centurion Grey Vinyl

NEW VINYL FOORING

Hard wearing anti slip heavy duty vinyl flooring in a range of attractive colours and styles. Sold per linear metre or full rolls. Other colours and styles available from time to time.

- IVFC97894** CENTURION Grey with random 'cobble' design roll width 200cm length 12.5m. Sold per linear metre.
- IVFOS8401** ONESTEP Light Grey with random spotted effect roll width 200cm length 12.5m. Sold per linear metre.
- IVFOS8433** ONESTEP Sand with random spotted effect roll width 200cm length 12.5m. Sold per linear metre.
- IVFEPRNCD** ECOPLUS Rain Cloud plain grey with random PVC flashing roll width 200cm length 15m. Sold per linear metre.




OneStep Light Grey Vinyl



OneStep Sand Vinyl

The photographs printed in this catalogue, may not accurately reproduce the tone/colour of each material. We cannot guarantee that different batches of the same material will be identical in colour so ensure you order sufficient material to complete your project



CURTAIN RAIL AND ACCESSORIES

Standard Caravan and Motorhome curtain rail sold by the metre. Maximum single carriage. Made from tough but flexible uPVC.

- FCTRCB** CURTAIN RAIL BROWN PER METRE (A)
- FCTRCW** CURTAIN RAIL WHITE PER METRE (B)
- FCTRCEND** CURTAIN RAIL END STOP PACK 2 (C)
- FCTRCLGL** CURTAIN RAIL GLIDER PACK 25 (D)
- FCTRCHK** CURTAIN RAIL CURTAIN HOOK PACK 25 (E)



FCTRCW



E D C

ACRYLIC MIRROR TILE

Acrylic Mirror is a high quality plastic mirror sheet with tough protective back coating. Mirror grade Acrylic is 100 times stronger than glass but more lightweight, up to half the weight of an average glass panel, making it ideal for Caravan Motorhome and Marine applications. Supplied in A4 tiles 297 x 210mm for ease of installation, they are easily fastened by using double sided foam sticky pads. If you wish it can be easily drilled for screw fixing or cut to size using a fine tooth hacksaw.

FFAMTA4 acrylic mirror tile silver



FFAMTA4



FCTACT382

ALUMINIUM CURTAIN RAIL

White coated aluminium curtain track Track comes pre-packed in 2 metre length with 2 end stops and 32 gliders.

FCTACT382 2m pack Aluminium curtain track

SECURON INERTIA REEL SEAT BELTS

500 series is a Lap & Diagonal 4 point mounting belt with Emergency Locking Retractor (ELR). Kits available in various buckle lengths and connections. 500 Series webbing length: Automatic Retractor to end Bracket 291cm. Retractor Angle: vertical. Dimensions are approximate and are from the centre of anchorage holes/mouths of buckles.

SSB500-15 Inertia reel seat belt kit with 15cm metal strap buckle

SSB500-30 Inertia reel seat belt kit with 30cm stalk/cable buckle

SSB500-45 Inertia reel seat belt kit with 45cm stalk/cable buckle

- Webbing should pass across bone structure (the lap or centre of the shoulder).
- On lap and diagonal belts the buckle should lie just on or below the hip.
- There should be no slack webbing when the Seat Belt/Harness is worn.
- Where the Retractor has a pendulum (vehicle sensitive), the retractor angle is specific.
- These are complete Seat Belts/Harnesses - old/new parts should not be mixed.

Please note: these belts must be installed in accordance with the manufacturer's guidelines.



SSB500



FCTACT382



SSB500




SSB500

DOOR CURTAIN

Chenille type deluxe door curtain prevents insects and flies coming in through entrance door whilst it is open. Suitable for caravans, motorhomes, horseboxes, Narrowboats, catering units etc Can be easily trimmed to size in width by shortening header and removing strands, length by shortening strands.

Size 600mm wide x 1910mm deep

- DFCURTGW** DOOR CURTAIN GREY AND WHITE STRANDS
- DFCURTBL** DOOR CURTAIN BLUE AND GREY STRANDS
- DFCURTBG** DOOR CURTAIN BROWN AND GREY STRANDS
- DFCURTGY** DOOR CURTAIN GREY AND YELLOW STRANDS



ROCK N' ROLL SEAT BED MECHANISM

Zinc plated hinge mechanism providing simple fold down action to turn dinette into double bed. Not suitable for modification to original driver & passenger front seats. Heavy duty construction zinc galvanised finish.

The sized drawings are given as a starting guide only. There are many variations in the way the hinge set can be installed to suit the intended usage.


RNRHNG3 Rock n' Roll hinge handed pair.



SEAT



BED



- A - TRAVELLING POSITION**
- B - BED POSITION**
- C - DINING POSITION**

WE NOW OFFER INSTALLATION AND SAFETY INSPECTION SERVICE BY SupremeTech.co.uk



0844 414 2324



0844 414 2425

ALUMINIUM BUNK LADDERS LIGHTWEIGHT & STRONG



BLA2175



BLA2150

High quality anodised aluminium ladders for lightness & portability; anti-slip wide treads lightly profiled to be easy on your feet. Cap feet top and bottom to prevent ladder slipping. Being aluminium you can affix various brackets & clips to suit your own requirements. Ladders can be easily shortened. (265 tread width).

- BLAJH** Pair J locating hooks to fix on ladder
- BLAJB** Wall bracket for bunk ladder J hooks
- BLA2150** Aluminium bunk ladder 150 cm 4 rungs
- BLA2175** Aluminium bunk ladder 175.5 cm 5 rungs



NEW BUNK SAFETY NETS

Two sizes available complete with installation accessories. Prevents luggage and children falling from overcab area or bunks.

- BSN1558** BUNK SAFETY NET 1500 x 580mm
- BSN1858** BUNK SAFETY NET 1800 x 580mm

GARAGE FIXING RAILS

Designed to secure items in the motorhome garage. The garage rails are a pair of anodized aluminium profiled rails to be fixed to the floor or walls. The pack of 2 rails come complete with 10 adjustable position tie point eyes. Rails are 2mtr long with end caps, fixing holes are at 305 mm centres. Sizes L 2000mm x W 35 mm x H 65mm Height includes fixbar eyes.

- FIXBAR2** GARAGE FIXING RAILS PACK OF 2
- FIXBAYEYE** SPARE FIXING EYES PACK



FIXBAR2



FIXBAR2

LUGGAGE NET

Luggage net ideal to stop your possessions moving about in your garage whilst traveling. Size expanded 80 x 80 cm.

- PS1012** LUGGAGE NET

SIREN ALARM PADLOCK

Fancy a padlock that is siren alarmed?


The two tone alarm is set to sound for ten seconds every time it is disturbed, and resets itself automatically. This extra strong cast steel lock now provides the extra security and peace of mind that you are looking for. Countless locked sheds, garden outbuildings, garages and store rooms are broken into weekly with hardly a sound, but not any more. Disturb this little guy, and he'll make himself heard. Why tackle a lock that sounds an alarm when there are millions that don't?

Use it on bicycles, motorbikes, garden tools, furniture and ornaments, tool boxes, Motorhome bike racks, generators, vans, side gates, the list is endless. Why buy an ordinary padlock when you can buy one with a built in alarm at the same price? Can be used as a conventional non-alarmed lock as well. Works in all weather conditions, Tough HRC 50-60 shackle, batteries sealed in tamper proof steel chamber inaccessible when lock is engaged, sounds 2200 times on a set of batteries.

- PDLCKALRM** SIREN ALARM PADLOCK



SIREN ALARM PADLOCK



SLEEVED HIGH SECURITY CHAIN

High specification links produced from 10mm thick hardened steel square profile chain. Big internal link size of 16mm x 50mm for use with large shackles. Hard wearing synthetic canvas type fabric sleeved to prevent rubbing.

- SECCH60HD** HI SECURITY SLEEVED CHAIN 600MM
- SECCH90HD** HI SECURITY SLEEVED CHAIN 900MM
- SECCH120HD** HI SECURITY SLEEVED CHAIN 1200MM



SLEEVED HI SECURITY



SECURITY CHAIN

SECURITY CHAIN

Fully hardened round steel links. Increased link size (16mm x 38mm internal) for use with larger padlock shackles. PVC sheath for weather resistance.

- SECCH60** STEEL SECURITY CHAIN 600MM
- SECCH90** STEEL SECURITY CHAIN 900MM

HEAVY DUTY SECURITY CHAIN

Fully hardened square steel links. Increased link size (16mm x 38mm internal) for use with larger padlock shackles. PVC sheath for weather resistance.

- SECCH120** STEEL SECURITY CHAIN 1200MM
- SECCH150** STEEL SECURITY CHAIN 1500MM

300KG CARGO LASH - FIXSTRAP300

Heavy duty polypropylene webbing tested to 300kg. Quick release high tension ratchet handle. Hook ends. 4.5m long x 25mm webbing. Conforms to EN12195-2



FIXSTRAP300



PS1015

BASIC RATCHET STRAP - PS1015

Great to have around for holding down awnings or stopping things moving about in your garage while traveling. 25mm webbing x 4.5m light duty.

TIE DOWN CORKSCREW STAKE - PTS1705

Tie down stake is great to tie down awnings into soft ground. Screws into ground for a very solid anchor point. Also ideal to keep your dogs under control with a Medium Kennel chain (PTS1631 1.8m long.)



TIE DOWN CORKSCREW STAKE

WE NOW OFFER INSTALLATION AND SAFETY INSPECTION SERVICE BY SupremeTech.co.uk



WASH RACK, SEITZ S4 WINDOWS & FITTINGS



Interior

SEITZ S4 WINDOW SYSTEM

Available in a large range of sizes, S4 is supplied as a complete kit of window and integrated Blind system, all in one box. The Seitz S4 is the window of choice by many motorhome and camper manufacturers throughout Europe. Easy installation and long life span are guaranteed: Outer and inner frame are simply screwed together from inside, clamping the window to the vehicle wall, for a lasting and continuous seal. For wall thicknesses 26 to 41 mm (requires trimming of inner frame) Outer Black RAL9005 frame with Grey tinted acrylic double glazed pane. Inner frame is cream-white RAL9001. Blind material is white to the interior with a thermally reflective silver aluminised coating to the outside. Fly net is white with no pattern. High quality windows Highly recommended by CAK. S4 Top Hinged window has telescopic side arms for easy ventilation with integrated roller blind and fly net to the inside. Safety catches prevent window from being opened from outside. S4 Sliding window is installed with the fixed half pane to the rear of the aperture (based on driving direction) and the sliding pane to the front. Available as Left or Right hand side of vehicle versions. Seitz S4 windows in all sizes are available manufactured to order. Depending on the time of year this can be 1 to 8 weeks.

- S4TH (SIZE)** Top hinged S4 windows
- S4SL (SIZE).. L or R** Sliding S4 windows handed Left or Right hand side of vehicle.

We keep a significant selection of the popular sizes in stock. Seitz S4 windows in the full range of all sizes are available manufactured to order. Depending on the time of year this can be 1 to 8 weeks.

- S4TH (SIZE)** Top hinged S4 windows (Sizes listed in price list)

- S4SL (SIZE)** L or R Sliding S4 windows handed Left or Right hand side of vehicle. (Sizes listed in price list)

- S4WCLEANKIT** Special Seitz window cleaning kit



SEITZ S4 TOP HINGED OPENING



SEITZ S4 SLIDING WINDOW



SEITZ S4 TOP HINGED WINDOW

UNIVERSAL WINDOW WASHING RACK

Very useful washing rack that easily clamps to most window apertures. The washing rack is universal fitting; the width extends from 470mm to 900mm. Folds flat for easy storage. Metal clamps, moulded ends chromed metal rack tubes. Ideal for beach towels or wet clothing or to create shelves for shoes & clothing in wardrobes. WWL01 Window washing rack



GAS STRUTS FOR FIXED BEDS AND LARGE ACCESS DOORS

- LDGS200** 200MM 90N
- LDGS244** 244MM 90N
- LDGS355** 355MM 180N
- LDGS400** 400MM 250N
- LDGS550** 550MM 200N
- LDGS600** 600MM 200N
- LDGS700** 700MM 250N



LDGS900



LDGS901



LDGS902



LDGS903



LDGS904



LDGS905

GAS STRUT PIVOT MOUNTINGS


- LDGS900** 4 HOLE VERTICAL PIN BASE PLATE
- LDGS901** 2 HOLE CROSS AXLE BASE PLATE
- LDGS902** INNER THREADED PIVOT ANGLE PLATE
- LDGS903** OUTER THREADED PIVOT ANGLE PLATE
- LDGS904** THREADED PIVOT FLAT PLATE
- LDGS905** INNER BALL PIVOT ANGLE PLATE
- LDGS907** ANGLE PIVOT PLATE
- LDGS909** THREADED BALL PIVOT



LDGS907



LDGS909



- FIXHNDL90** 90MM FOLDING TIE DOWN GALVANIZED
- B25L** LONG LEVER TENSION CLOSURE 140MM
- B25C** SHORT LEVER TENSION CLOSURE 102MM



B25L

B25C



FIXHNDL90

- AETFA4** 19MM RIBBED ANTI SLIP FLOOR EDGE FINISHING ANGLE
- AETFA6** 25MM RIBBED ANTI SLIP FLOOR EDGE FINISHING ANGLE



AETFFD674



AETFFD765



AETFFD766



AETFFD781



AETFFD789



AETINFILLBK



AETP2238

WE NOW OFFER INSTALLATION & REPAIR SERVICE BY SupremeTech.co.uk



0844 414 2324



0844 414 2425